

Safety Data Sheet



Water-Based Tile and Grout Sealer

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Water-Based Tile and Grout Sealer

SDS Number: B462

Revision Date: June 20, 2018 **Version:** 43-17K

Manufacturer: Canadian Contact:

Legend Brands Legend Brands

 325 S. Price Rd.
 4520 Eastgate Parkway

 Chandler, AZ 85224
 Mississauga, ON L4W 3W6

 Phone: 480-899-7000
 Phone: 800-932-3030

Fax: 480-786-9538

Email: sds@legendbrands.com www.legendbrandscleaning.com

Emergency Information: INFOTRAC 1-800-535-5053 International 1-352-323-3500

2 HAZARDS IDENTIFICATION

Classification of Substance

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Acute toxicity, 5 Oral Health, Skin corrosion/irritation, 3

Health, Serious Eye Damage/Eye Irritation, 2 B

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:

No GHS pictograms indicated for this product

GHS Hazard Statements:

H303 - May be harmful if swallowed H316 - Causes mild skin irritation H320 - Causes eye irritation

GHS Precautionary Statements:

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313 - If eye irritation persists: Get medical advice/attention.

Route of Entry: Eyes; Skin; Inhalation;

Target Organs: Eyes; Skin

Inhalation: Minimal respiratory tract irritation may occur with exposure to a large amount of material.

Skin Contact: May cause irritation.

Eye Contact: May cause irritation.

Ingestion: Ingestion is not applicable route of entry for intended use.

SDS Number: B462 Page: 1/4 Revision Date: June 20, 2018

3 COMPOSITION/INFORMATION ON INGREDIENTS

This product contains no hazardous components as defined under the criteria of the Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200.

OSHA Regulatory Status:

This SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air; if symptoms persist, obtain medical attention.

Skin Contact: Wash with soap and water. If irritation persists consult medical personnel.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate

irrigation. Get immediate medical attention.

Ingestion: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give

two glasses of water. Seek medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: 100°C/ 212°F
Flash Point Method: Closed Cup

Wear self-contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 ACCIDENTAL RELEASE MEASURES

Keep away from drains and ground water. Keep all unnecessary personnel away. Spill area may be slippery. Pick up excess with inert absorbent material and place into separate waste container. Ventilate area and wash spill site after material pickup is complete. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

7 HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes, skin, or clothing; Consider normal working hygiene. Handle with care and avoid

spillage on the floor (slippage). Keep away from sources of ignition; wash thoroughly after handling.

Storage Requirements: Keep away from children. Store in cool/dry area; Keep container closed.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Normal room ventilation is satisfactory for limited use.

Personal Protective HMIS PP, B | Safety glasses, Gloves

Equipment:

This product contains no hazardous components as defined under the criteria of the Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200.

Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear colorless

Physical State:LiquidOdor:NoneSolubility:SolubleSpecific Gravity or Density:8.36 lb/galPotentia Hydrogenii:7.6 - 8.2 as is

SDS Number: B462 Page: 2 / 4 Revision Date: June 20, 2018

10 STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions.

Conditions to

None known

Avoldentification:

Materials to Avoldentification: None known

Hazardous Decomposition: Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified

thermal decomposition products from this product or its packaging.

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Toxicity Data:

This product contains no hazardous components as defined under the criteria of the Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200.

12 ECOLOGICAL INFORMATION

On the basis of available information, this material is not expected to produce any significant environmental effects when recommended use instructions are followed.

13 DISPOSAL CONSIDERATIONS

Recommendation: Consult with the disposal agency and the relevant authorities. Empty containers may be cleaned with water.

14 TRANSPORT INFORMATION

Ship in accordance with 49 CFR parts 100-185. Non-hazardous for air, sea and road freight.

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

According to our information this product is not dangerous material.

REGULATORY KEY DESCRIPTIONS

All components are listed on TSCA

CALIFORNIA PROPOSITION 65 CARCINOGENS

Warning: The following ingredients present in the product are known to the state of California to cause cancer.

Chemical NameCAS-No.Formaldehyde50-00-0


SDS Number: B462 Page: 3 / 4 Revision Date: June 20, 2018

NFPA: Health = 1, Fire = 1, Reactivity = 0, Specific Hazard = n/a

HMIS III: Health = 1, Fire = 1, Physical Hazard = 0

HMIS PPE: B - Safety Glasses, Gloves





This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager Phone Number: [480] 899-7000

SDS Number: B462 Page: 4 / 4 Revision Date: June 20, 2018