SAFETY DATA SHEET



Revision Date 15-Nov-2016

Version 4

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Professional Spot Lifter

Product code W.20392

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Professional Carpet Cleaning Restrictions on use Professional Use Only

1.3 Details of the supplier of the safety data sheet

Supplier Legend Brands

Chemspec

15180 Josh Wilson Road Burlington, WA 98233

800-932-3030

Legend Brands

4520 Eastgate Parkway Mississauga, ON L4W 3W6

800-932-3030

E-mail Address msds@chemspecworld.com

1.4 Emergency telephone number

Emergency telephone number INFOTRAC 1-800-535-5053 (North America)

1-352-323-3500 (International)

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin sensitization Category 1

2.2 Label elements

Signal Word

Warning

Hazard Statements

May cause an allergic skin reaction



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Keep/Store away from clothing/ combustible materials

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance Mixture

Chemical Name	CAS-No	Weight %
Dipropylene Glycol Butyl Ether	29911-28-2-LB	1 - 5
Ethylene glycol monobutyl ether	111-76-2	1 - 5
D-limonene	5989-27-5	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice Immediate medical attention is required. If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician

immediately. If symptoms persist, call a physician.

Skin contact Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes. Immediate medical attention is required. Wash off immediately with soap and plenty

of water. Immediate medical attention is not required. If skin irritation persists, call a

physician.

Inhalation Move to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation. Immediate medical attention is required. If not breathing, give artificial respiration. Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition

products.

Ingestion

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Clean mouth

with water and drink afterwards plenty of water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician May cause sensitization of susceptible persons. Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray. Foam. Dry powder. Use:. Dry chemical. Carbon dioxide (CO₂). Alcohol-resistant foam.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Hazardous decomposition products formed under fire conditions May cause sensitization by inhalation and skin contact Thermal decomposition can lead to release of irritating gases and vapors Immediately place absorbent material in a sealed water-filled metal container to avoid spontaneous combustion of absorbent material contaminated with this product

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Evacuate personnel to safe areas. Pay attention to flashback. Take precautionary measures against static discharges.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover

powder spill with plastic sheet or tarp to minimize spreading. Sweep up and shovel into suitable containers for disposal. Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers. Take precautionary measures against static

discharges.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove

and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take necessary action to avoid static electricity discharge (which

might cause ignition of organic vapors).

Hygiene measures When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal

feeding stuffs.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Materials to Avoid Strong oxidizing agents.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Ethylene glycol	TWA: 20 ppm	TWA: 50 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm
monobutyl ether		TWA: 240 mg/m ³		TWA: 97 mg/m ³	TWA: 97 mg/m ³	
111-76-2		S*		_		

8.2 Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection Wear protective gloves/ protective clothing.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid
Appearance Colored liquid

Color gold Odor Citrus

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH 8.9

Melting/freezing point

No information available

Boiling point/boiling range No information available

Flash Point 94 °C / 201 °F

Evaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limits in Air

upper flammability limit
lower flammability limit
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.038

Water solubilityNo information availableSolubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive properties No information available Oxidizing Properties No information available

9.2 Other information

Volatile organic compounds (VOC) <5%

content

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Direct sources of heat. Heat, flames and sparks.

10.5 Incompatible Materials

Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

15-Nov-2016 - W.20392 - 4 - AGHS - English -

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50 12,799.00 mg/kg **Dermal LD50** 18,830.00 mg/kg LC50 (Dust/Mist) 344.11 mg/l 364.00 mg/l LC50 (Vapor)

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dipropylene Glycol Butyl Ether 29911-28-2-LB	-	-	> 2.0 mg/L (aerosol)(Rat) 4 h
Ethylene glycol monobutyl ether 111-76-2	470 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
D-limonene 5989-27-5	4400 mg/kg (Rat)	> 5 g/kg(Rabbit)	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

- · No information available
- Component Information
- · No information available

Serious eye damage/eye irritation

Product Information

- May cause eye irritation
- Component Information
- No information available

Respiratory or skin sensitization

Product Information

- · No information available
- Component Information
- · No information available

Germ cell mutagenicity

Product Information

- No information available
- Component Information
- · No information available

Carcinogenicity

Product Information

- This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)
- The table below indicates whether each agency has listed any ingredient as a carcinogen

Component Information

• Contains a known or suspected carcinogen

Reproductive toxicity

Product Information

• No information available

Component Information

• No information available

STOT - single exposure

No information available

STOT - repeated exposure

- · May cause adverse liver effects
- · Repeated contact may cause allergic reactions in very susceptible persons
- · Avoid repeated exposure
- · Contains a known or suspected reproductive toxin

Other adverse effects

Product Information

- No information available
- Component Information
- · No information available

Aspiration hazard

Product Information

- · No information available
- Component Information
- · No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

9.596153 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Dipropylene Glycol Butyl Ether 29911-28-2-LB	-	LC50: 96 h Poecilia reticulata 841 mg/L static	-
Ethylene glycol monobutyl ether 111-76-2	-	LC50: 96 h Lepomis macrochirus 1490 mg/L static LC50: 96 h Lepomis macrochirus 2950 mg/L	EC50: 48 h Daphnia magna 1000 mg/L
D-limonene 5989-27-5	-	LC50: 96 h Pimephales promelas 0.619 - 0.796 mg/L flow-through LC50: 96 h Oncorhynchus mykiss 35 mg/L	<u>-</u>

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

	District the environment must be avoided		
Chemical Name		log Pow	
	Ethylene glycol monobutyl ether	0.81	
	l 111-76-2		

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

15. Regulatory information

15.1 International Inventories

Complies **TSCA** Complies DSL **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies Complies **KECL PICCS** Complies **AICS** Complies **NZIoC** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Ethylene glycol monobutyl ether	1.0
111-76-2	

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Ethanol - 64-17-5	Carcinogen Developmental
1,4-DIOXANE - 123-91-1	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive

16. Other information

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and chemical hazards *

HMIS Health Hazard 2 Flammability 1 Physical Hazard 0 Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Prepared By Chemspec Regulatory Affairs/Product Safety

Revision Date 15-Nov-2016

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet